

# TOOLS



RAUCH-SNICER SALES UD
402 SWETLAND BLDG.
CLEVELAND 15, 0HIO
PROSpect 6100

QUALITY

HINSODALE


DISTRIBUTING COMPANY

Direct Factory Branch

PHONE ADAMS 1428


80 WEST MAIN STREET

COLUMBUS 15, OHIO





## Tiny Tools for All Small Nuts and Bolts



#### Complete Mechanics Set of Tiny Tools

A Master Combination of Tiny Tools for loosening or tightening all sizes of small nuts under every possible condition. Refined in design for close work. Accurate openings avoid mutilating small nuts. All tools drop forged of S.A.E. 6140 Chrome Vanadium Steel and electrically heat treated for maximum strength. Triple chromium plated and fully polished for rust resisting, lifetime finish.

Includes seven Hexagon 9/32" Square Drive Sockets with 7/32", 1/4", 9/32", 5/16", 11/32", 3/8" and 7/16" openings; two 8-pt. sockets, openings 1/4" and 5/16";  $4\frac{1}{2}$ " Slide Tee Handle and 6" Extension Spinner.

Four Tiny End Wrenches with accurate openings as follows: 13/64"x7/32", 15/64"x1/4", 9/32"x5/16", 11/32"x 3/8".

PI4½"—4½" Tiny Pliers with three point locking joint giving any opening from 0 to ½".

K182R — 2" Tiny Screw Driver.

Compact carrying case of substantial enameled metal. Size 1x4x9. Weighs 1 lb. 10 oz.

No. 17M

List Price \$9.65

## TINY (9/32" Square Drive) SOCKET WRENCHES

Hexagon Sockets		Sockets for Square		<b>Handles</b>		
No. Opening	List Price	Nuts		H7M Slide Tee Handle		
	6 Pt. <b>\$0.45</b>	No. Opening	List Price	4½" longList \$ .90		
SM7 7/32" SM8 1/4"	6 Pt45	<b>SQM6</b> 3/16"	\$0.45	HXM5 Pyralin Extension Spinner. 6" longList \$1.25		
	6 Pt45	<b>SQM7</b> 7/32"	.45	HXM6 6" Extension BarList \$ .90		
SM10 5/16"		<b>SQM8</b> 1/4"	.45	<b>HAO</b> Adapter 3/8" Plug x 9/32"		
SM11 11/32" 3 SM12 3/8"	12 Pt. <b>.45</b> 12 Pt. <b>.45</b>	<b>SQM10</b> 5/16"	.45	opening List \$ .65 <b>HA3</b> Adapter 9/32" Plug x 3/8"		
SM14 7/16"		<b>SQM12</b> 3/8"	.45	openingList \$ .65		
%3	<b>Jo</b> vi					

H13M Universal Joint. List. . \$1.90

H5M Hinged Tee Handle, 6" long....List Price \$1.25

H12M Ratchet \$3.53

#### Tiny Socket Set



Includes seven 9/32" square drive 6 pt. and 12-pt. sockets—openings 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", and 7/16"; two 8-pt. sockets—openings 1/4" and 5/16"; 4½" Slide Tee Handle and 6" Extension Spinner, as described above, in compact case of enameled metal. Size 1x1%x8. Complete weight 1 lb.

No. 11M

List Price \$6.20

#### Tiny Tool Kit

Includes four Tiny End Wrenches with 13/64"x7/32", 15/64"x1/4", 9/32"x 5/16", 11/32"x3/8" openings fully described on Page 17.

 $PI4\frac{1}{2}$  —  $4\frac{1}{2}$ " Tiny Adjustable Pliers. 3-point locking joint gives any opening from 0 to  $\frac{1}{2}$ ".


K182R - 2" Tiny Screw Driver.



Packed in leatherette roll with individual pockets. Weight 4 oz.


No. 6MM

List Price \$3.45





## Mechanics Aviation Type Socket Set



%" square drive. Carefully designed, short, thin-walled sockets for fast work in tight places. Get into unbelievably small space with marvelous ease. Balanced slenderized handles, light to carry—a pleasure to use—surprisingly strong for their size. Every piece of S.A.E. 6140 Chrome Vanadium Steel, electrically heat treated, triple chromium plated. The finest %" square drive sockets on the market with a complete assortment of handles for fast work under all conditions. A Champion for convenience, speed and utility within its range of sizes.

#### The Set Contains

Ten 3/8" Square Drive 12 Pt. Sockets

No.	List Price	No.	List Price
SJ12—3/8"	\$.60	<b>SJ21</b> —21/32"	\$.60
<b>SJ14</b> —7/16"	.60	SJ22—11/16"	.70
SJ16—1/2"	.60	SJ24—3/4"	.70
<b>SJ18</b> —9/16"	.60	<b>SJ26</b> —13/16"	.70
<b>SJ20</b> —5/8"	.60	SJ28—7/8"	.70

#### A complete set of time-saving handles

H3J	18" Speeder Handle\$2.20
H5J	8" Hinged Tee Handle 2.50
H7J	73/4" Slide Tee Handle 1.25
H12J	Reversible Ratchet Wrench, Gear type 77/8" 4.75
H13J	Universal Joint 2.00
HXJ5	5" Extension Bar
HXJ8	8" Extension Bar
HXJ18	18" Extension Bar

Packed in metal box, baked black enamel finish, 1½"x5"x19". Complete weight, 8 lb. 10 oz.

No. 18J

List Price \$23.50

#### **Utility Socket Set**

A good foundation for standard or special service kit, as handles and sockets can be added as required.

Includes 10 3/8" Square drive Sockets

No. H12J Reversible Ratchet Wrench

No. H5J Flex Handle


No. HXJ8 Extension Bar

As described above.

Packed in a black enamel metal box. Weight 2 lbs.

No. 13J

List Price \$15.00



#### **Universal Sockets**




No.	Opening	List Price
SJ12U	3/8"	\$1.90
SJ14U	7/16"	
SJ16U	1/2"	1.90
SJ18U	9/16"	1.90
SJ20U	5/8"	1.90
SJ22U'	11/16"	1.90
SJ24U	3/4"	
SJ26U	10/1011	1.90

%" drive Universal Sockets for close work where standard socket and universal joint cannot be used.

#### Extra 3/8" Drive Tools

No.	List	Price
HXJ2	2" Extension Bar—2" long	.90
HA2	Adapter Plug 1/4x3/8	.55
HA3	Adapter Plug 9/32x3/8	.65
HA4	Adapter Plug 3/8x1/2	75
SJ8	1/4" Opening	60
SJ10°	5/16" Opening	60
SJ11	11/32" Opening	.00
SJ19	19/32" Opening	.00
		. DU

#### Deep Sockets, 6 Point




#### 3/8" Drive

	Opening		List		Opening		List
No.	Sizes	Length	Price	No.	Sizes	Length	Price
SJD 12	3/8"	13/4"	\$ .85	SJD 20	5/8"	21/2"	\$1.00
SJD 14	7/16"	13/4"	.85	SJD 22	11/16"	21/2"	1.15
SJD 16	1/2" '	13/4"	.85	SJD 24	3/4"	21/2"	1.25
SJD 18	9/16"	2"	1.00	SJD 26	13/16"	21/2"	1.35

#### No. SJD8 Set


List Price \$8.30

These Junior Deep Sockets are designed for easy accessibility not only for Spark plugs but where an ordinary socket would be too short.






## Master Mechanics Standard Socket Set




The Master Foundation for either a general purpose or special service kit. Thousands of experienced mechanics have selected this kit which includes all the socket tools required for all around work. By adding special tools they become equipped for any type of specialized service.

Sockets and Handles are of S.A.E. 6140 Chrome Vanadium Steel—recognized as the finest Steel obtainable for wrench service. The use of this super quality steel permits socket walls to be made extremely thin without sacrificing strength for most effective use in limited space.



Every piece is electrically heat-treated for maximum strength—triple chromium plated for enduring rust-proof finish.



This 21 piece set includes the basic tools which every mechanic must have. The 14 twelve point chrome vanadium steel straight wall sockets in this set have the following openings:  $\frac{7}{16}$ ,  $\frac{1}{16}$ ,  $\frac{9}{16}$ ,  $\frac{19}{16}$ ,  $\frac{19}{16}$ ,  $\frac{19}{16}$ ,  $\frac{19}{16}$ ,  $\frac{19}{16}$ ,  $\frac{11}{16}$ . Two additional sockets fit Alemite fittings and drag links. The drop forged hinged Tee handle is 14" long, and the slide Tee handle is 10" long. The two extension bars are 5" and 10" long. The new Hinsdale reversible gear type ratchet wrench is 10" long.

All tools are standard 1/2" service drive, and are made from SAE6140 chrome vanadium steel triple chromium plated, and beautifully polished. They are packed in a sturdy black enamel box with handle and improved snap latch. Weight 111/2 lbs.

The set contains fourteen Standard  $\frac{1}{2}$ " square drive 12 pt. sockets:

No.	List Price	No.	List Price
SR14 — 7/16"	\$ .75	SR26 — 13/16"	\$ .92
SR16 — 1/2"	.75	SR28 — 7/8"	.92
SR18 — 9/16"	.75	SR30 — 15/16"	1.00
SR20 — 5/8"	.84	SR32 — 1"	1.00
SR22 — 11/16"	.84	SR34 1-1/16"	1.17
SR24 — 3/4"	.84	SR36 — 1-1/8"	1.17
		SR40 — 1-1/4"	1.42
Five Deep Sockets	for U Bol	ts and Spark Plugs	
SJD20—5/8"	1.00	HA4—Adapter	.75
SJD24—3/4"	1.25	SPR28 - 7/8"	1.50
SJD26—13/16"	1.35	SPR32 — 1"	2.00
Two Special Sock	ets	是大学和特别是是	
SRA1—Alemite	.75	SRD1—Drag Link	.75

Handles that afford hundreds of wrench combinations for speed, ease and efficiency.


H3R	Speeder Handle, 18" long	\$2.20
H6R	18" Hinged Flex Tee Handle	4.50
H7R	Slide Tee Handle, 10" long	1.75
H12R	Gear Type Reversible Ratchet Wrench—10"	6.00
H13R	Universal Joint	2.10
HXR2	Extension Bar, 2" long	1.30
HXR5	Extension Bar, 5" long	1.30
HXR10	Extension Bar, 10" long	1.60

Packed in well arranged case of heavy metal—finished in baked enamel, fitted with snap latch for lock, total weight, 21 lbs.

No. 29R

**List Price \$42.50** 

#### Popular Socket Set




Everybody's Socket Set. A big saver of time, temper and knuckle skin for homes, farms, factories, shops. Affords tremendous coverage of popular sizes in a handy, low cost kit. The finest sockets made as described above in sizes most frequently used. Set contains twelve ½" square drive 12 pt. sockets—7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 25/32, 13/16, 7/8, 15/16, 1 inch openings—with 18" Flex Tee Handle and 10" bar—in sturdy, continuous hinged metal case with baked enamel finish. Weight 4½ lbs.

No. 13R

**List Price \$14.75** 

List Price \$27.75





## HEAVY DUTY SOCKET SET

		3/4" Square Drive	
No.			Price
SL34	1-1/16"	12 pt. Socket	\$1.70
SL36	1-1/8"	12 pt. Socket	1.85
SL38	1-3/16"	12 pt. Socket	2.00
SL40	1-1/4"	12 pt. Socket	2.35
SL44	1-3/8"	12 pt. Socket	2.50
SL46	1-7/16"	12 pt. Socket	3.20
SL48	1-1/2"	12 pt. Socket	3.35
SL52	1-5/8"	12 pt. Socket	3.85
SL58	1-13/16	" 12 pt. Socket	4.70
SL64	2"	12 pt. Socket	5.10
HeL	19"	Flex Tee Handle	7.25
HXL8	8"	Extension Bar	3.20


Above set complete, packed in rugged metal box with carrying handle, spring latches and hasp for lock. Weight 24 lbs.

No. 12LBX

List Price \$38.80

#### EXTRA SOCKETS AND HANDLES

SL30	15/16"	Opg.	12 pt.	Socket	\$1.70
SL31	31/32"			Socket	
SL32	1"	Opg.	12 pt.	Socket	1.70
SL42	1-5/16"	Opg.	12 pt.	Socket	2.35
SL56	1-3/4"	Opg.	12 pt.	Socket	4.25
SL68	2-1/8"			Socket	
HXL16	16" Exte	nsion	Bar		4.80
H7L	17" Lone	g Slide	Tee I	Handle	5.00
H12L	19" Lon	g Reve	ersible	Ratchet	12.00



These 34" drive Heavy Duty Sockets set new standards of safety and time-saving convenience.


Made of toughest S.A.E. 6140 Chrome Vanadium Steel which affords practically unbreakable strength with thin socket walls. These powerful sockets slip over and turn nuts you can't get at with ordinary wrenches. The handles afford combinations for efficient working in all sorts of locations. All sockets individually heat treated and triple chromium plated for lasting finish.

## GIANT SOCKETS AND HANDLES

These tools have been made to meet the need for Sockets of extra large bolts and nuts with opening sizes 2" to 31/2" hexagon heads. Used on heavy machinery, in oil fields, factories, power plants, ships, etc.

Made from special alloy steel heat treated to give maximum strength and hardness. Beautifully marked and finished in sparkling triple chrome plate. All Sockets and handles are 11/4" square drive.

HXG18




No. 15G Complete Set, weight 80 lbs....\$280.00

21.54

#### **SPECIFICATIONS**

No.	Opening	Weight	List Price	No.	Opening	Weight	List Price
SG 64	2"	2 lbs. 1 oz.	\$ 6.55	SG 82	2-9/16"	3 lbs. 14 oz.	\$18.70
SG 68	2-1/8"	2 lbs. 5 oz.	7.38	SG 84	2-5/8"	3 lbs. 14 oz.	20.30
SG 70	2-3/16"	2 lbs. 10 oz.	8.35	SG 88	2-3/4"	4 lbs. 5 oz.	23.70
SG 72	2-1/4"	2 lbs. 10 oz.	9.34	SG 94	2-15/16"	4 lbs. 14 oz.	28.75
SG 76	2-3/8"	3 lbs. 4 oz.	10.75	SG 100	3-1/8"	6 lbs. 7 oz.	35.15
SG 80	2-1/2"	3 lbs. 14 oz.	15.15	SG 112	3-1/2"	8 lbs.	41.75
To be by		No.			Weight List P		
		H7G Slide T HXG9 9" Exter	Handle 36" long nsion Bar		b., 10 oz. 15	9.15 5.50	<b>"" 计数数</b>





## A MASTER SET

Created, engineered, and manufactured in accordance with Hinsdale standards. Every tool of Chrome Vanadium Steel. A beginner or seasoned mechanic will find he needs one of these sets, for better, faster, safer work with less effort.

This set is the most complete on the market. Made of Chrome Vanadium Steel. S.A.E. No. 6140. Each tool tested and guaranteed. Packed in a durable steel box, well enameled with plenty of extra space for supplies.

No. 62LBX—THE 62 PIECE SET

**List Price \$96.02** 

#### **Specifications**

JUN	IOR SERIES %" SQ. DRIVE
SJ12 SJ14 SJ16 SJ18 SJ20 SJD20 SJD26 H3J H12J H12J H13J HXJ5	3/8" 12 pt. Socket 7/16" 12 pt. Socket 1/2" 12 pt. Socket 9/16" 12 pt. Socket 5/8" 12 pt. Socket 5/8" Deep Socket 13/16" Deep Socket 18" Speed Handle 8" Hinged Tee Handle Ratchet Wrench Universal Joint 5" Extension Bar
HXJ8	8" Extension Bar
HEA	AVY DUTY SERIES 3/4" SQ. DRIVE
SL34 SL36	1-1/16" 12 pt. Socket
SL40	1-1/8" 12 pt. Socket 1-1/4" 12 pt. Socket
SL44	1-3/8" 12 pt. Socket
SL46 SL48	1-7/16" 12 pt. Socket 1-1/2" 12 pt. Socket
SL52 HXL8 H6L	1-5/8" 12 pt. Socket 8" Extension Bar 18" Flex Handle

#### STANDARD SERIES 1/2" SQ. DRIVE

SQR14	7/16" 8 pt. Sq. Socket
SOR16	1/2" 8 pt. Sq. Socket
SOR18	9/16" 8 pt. Sq. Socket
SR14	7/16" 12 pt. Socket
SR16	1/2" 12 pt. Socket
SR18	
SR19	
The second secon	19/32" 12 pt. Socket
SR20	5/8" 12 pt. Socket
SR22	11/16" 12 pt. Socket
SR24	3/4" 12 pt. Socket
SR25	25/32" 12 pt. Socket
SR26	13/16" 12 pt. Socket
SR28	7/8" 12 pt. Socket
SR30	15/16" 12 pt. Socket
SR31	31/32" 12 pt. Socket
SR32	1" 12 pt. Socket
SRD1	Drag Link Socket
H3R	18" Speeder Handle
HGR	18" Hinged Tee Handle
H7R	10" Slide Tee Handle
H12R	
The second secon	Ratchet Wrench
H13R	Unversal Joint
HXR5	5" Extension Bar
HXR10	10" Extension Bar

#### OPEN END WRENCHES

E16½-7	13/64"	&	7/32"	Openings
E17½-8	15/64"	&	1/4"	Openings
E19-10	9/32"	&	5/16"	Openings
E111-12	11/32"	&	3/8"	Openings
1723	3/8"	&	7/16"	Openings
1725B	1/2"	&	9/16"	Openings
1727	9/16"	&	5/8"	Openings
1729	5/8"	3	3/4"	Openings
1731A	3/4"	&	7/8"	Openings
1033C	15/16"	&	1"	Openings

#### LONG OFFSET BOX WRENCHES

3/8"	&	7/16"	Dbl.	Hex.
1/2"	&	9/16"	Db1.	Hex.
5/8"	&	11/16"	Dbl.	Hex.
3/4"	&	25/32"	Dbl.	Hex.
13/16"	&	7/8"	Dbl.	Hex.
15/16"	&	1"	Dbl.	Hex.
	1/2" 5/8" 3/4" 13/16"	5/8" & 3/4" & 13/16" &	1/2" & 9/16" 5/8" & 11/16" 3/4" & 25/32" 13/16" & 7/8"	1/2" & 9/16" Dbl. 5/8" & 11/16" Dbl. 3/4" & 25/32" Dbl. 13/16" & 7/8" Dbl.



## Hinsdale Sockets Made in Full Range of Sizes

6140 SAE Chrome Vanadium Steel Chromium Plated

S		
TV.		GET
rv	-	CILL

Service	Drive 9/32"	Square
	6 Pt.	
Opening	No.	List Price
3/16"	SM6	\$0.45
7/32"	SM7	.45
1/4"	SM8	.45
9/32"	SM9	.45
	12 Pt.	
5/16"	SM10	\$0.45
11/32"	SM11	.45
3/8"	SM12	.45
7/16"	SM14	.45

For	Square	Nuts
	4 70	

	2 1.	
3/16"	SQM6	\$0.45
7/32"	SQM7	.45
1/4"	SQM8	.45
5/16"	SQM10	.45
3/8"	SQM12	.45

#### UNIVERSAL SOCKETS

Service	Drive 3/8"	Square
	12 Pt.	
Opening	No.	List Price
3/8"	S]12U	\$1.90
7/16"	SJ14U	1.90
1/2"	SJ16U	1.90
9/16"	SJ18U	1.90
5/8"	SJ20U	1.90
11/16"	SJ22U	1.90
3/4"	SJ24U	1.90
13/16"	SJ26U	1.90

#### JUNIOR

Service Drive %" Square				
	12 Pt.			
Opening	No.	List Price		
1/4"	SJ8	\$0.60		
5/16"	SJ10	.60		
11/32"	SJ11	.60		
3/8"	SJ12	.60		
7/16"	SJ14	.60		
1/2"	SJ16	.60		
9/16"	SJ18	.60		
5/8"	SJ20	.60		
21/32"	SJ21	.60		
11/16"	SJ22	.70		
3/4"	SJ24	.70		
13/16"	SJ26	.70		
7/8"	SJ28	.70		

#### JUNIOR WHITWORTH

Drive 3/8"—12 pt.				
No.	List Price			
SJ11W	\$0.60			
SJ12W	.60			
SJ14W	.60			
SJ16W	.60			
SJ18W	.60			
SJ20W	.60			
SJ24W	.70			
SJ28W	.70			
	No. SJ11W SJ12W SJ14W SJ16W SJ18W SJ20W SJ24W			

#### REGULAR

Service	Drive ½" 12 Pt.	Square
Opening	No.	List Price
3/8"	SR12	\$0.75
7/16"	SR14	.75
1/2"	SR16	.75
9/16"	SR18	.75
19/32"	SR19	.75
5/8"	SR20	.84
21/32"	SR21	.84
11/16"	SR22	.84
3/4"	SR24	.84
25/32"	SR25	.92
13/16"	SR26	.92
7/8"	SR28	.92
	SR30	1.00
15/16"	The same of the sa	
31/32"	SR31	1.00
1"	SR32	1.00
1- 1/16"	SR34	1.17
1- 1/8"	SR36	1.17
1- 3/16"	SR38	1.35
1- 1/4"	SR40	1.42
1- 5/16"	SR42	1.42
		and y

#### REGULAR WHITWORTH

		the second
Service	Drive 1/2"	Square
Opening	No.	List Price
29/64"	SRIEW	\$0.75
17/32"	SR18W	.75
19/32"	SR20W	.84
45/64"	SR24W	.84
13/16"	SR28W	.92
59/64"	SR30W	1.00
1- 1/64"	SR34W	1.17
1- 3/32"	SR36W	1.17
1-13/64"	SR40W	1.42

#### SQUARE SOCKETS

Service	Drive 1/2"	Square
Opening	No.	List Price
5/16"	SQR10	\$0.75
11/32"	SQRII	.75
3/8"	SQR12	.75
7/16"	SQR14	.75
1/2"	SQR16	.75

#### SOUARE SOCKETS

Opening	No.	List Price
9/16"	SQR18	\$0.75
5/8"	SQR20	.84
11/16"	SQR22	.84
3/4"	SQR24	.84
7/8"	SQR28	.92
1"	SQR32	1.45

#### JUNIOR DEEP SOCKETS

	3/8" Driv	re — 6 Pt.	
Opening	Length	I	List Price
3/8"	13/4"	SJD12	\$0.85
7/16"	13/4"	SJD14	.85
1/2"	13/4"	SJD16	.85
9/16"	2"	SJD18	1.00
5/8"	21/2"	SJD20	1.00
11/16"	21/2"	SJD22	1.15
3/4"	21/2"	SJD24	1.25
13/16"	21/2"	SJD26	1.35

#### SPECIAL SOCKETS


SPEC	IVE POC	IZETO
Service	Drive 1/2"	Square
		List Price
Alemite	SRA	\$0.75
Drag Lin	k . SRD	.75
2.49 2		

#### SPARK PLUG

Service	Drive 1/2"	Square
31/4"	deep - 12	Pt.
Opening	No.	List Price
1/2"	SPR16	\$1.42
9/16"	SPR18	1.42
5/8"	SPR20	1.42
11/16"	SPR22	1.42
3/4"	SPR24	1.42
13/16"	SPR26	1.50
7/8"	SPR28	1.50
15/16"	SPR30	1.92
"	SPR32	2.00
- 1/8"	SPR36	2.10

#### HEAVY DUTY

Service	Drive 3/4"	Square
	12 Pt.	
Opening	No.	List Price
15/16"	SL30	\$1.70
31/32"	SL31	1.70
1"	SL32	1.70
1- 1/16"	SL34	1.70
1- 1/8"	SL36	1.85
1- 3/16"	SL38	2.00
1- 1/4"	SL40	2.35
1- 5/16"	SL42	2.35
1- 3/8"	SL44	2.50
1- 7/16"	SL46	3.20
1- 1/2"	SL48	3.35
1- 5/8"	SL52	3.85
1- 3/4"	SL56	4.25
1-13/16"	SL58	4.70
2"	SL64	5.10
2- 1/8"	SL68	6.00








Junior Sockets SJ12 to 28



Regular Sockets SR14 to 40



Junior Deep Sockets
SJD12 to 26



Spark Plug Sockets SPR16 to 36




## HINSDALE SOCKET HANDLES

## 6140 SAE Chrome Vanadium Steel Chromium Plated

Service Driv	e 9/32"	square
--------------	---------	--------

No. H5M H6M H7M H12M H13M HXM5 HXM6	DESCRIPTION Hinged Tee Handle, 6" long. Refrigerator Ratchet, 6" long, Semi-finish. Slide Tee Handle 4½" long. Reversible Ratchet Wrench. Universal Joint. Insulated Extension Spinner, 6" long. 2" Extension Bar. 6" Extension Bar.	2.15 .90 3.53 1.90 1.25
	Service Drive 3/8" square	
H3J H5J H7J H12J H13J HXJ3 HXJ5 HXJ8 HXJ12 HXJ18	Speeder, 18" long. Hinged Tee Handle, 8" long. Slide Tee Handle, 734" long. Gear Type Ratchet Wrench 778" long. Universal Joint. Extension Bar, 3" long. Extension Bar, 5" long. Extension Bar, 8" long. Extension Bar, 12" long. Extension Bar, 18" long.	2.50 1.25 4.75 2.00 .90 1.10 1.40
	Service Drive ½" square	
H3R H5R H6R H7R H12R H13R HXR2 HXR5 HXR10 HXR20	Speeder, 18" long. Hinged Tee Handle, 14" long. Hinged Tee Handle, 18" long. Slide Tee Handle, 10" long. Gear Type Ratchet Wrench, 10" long. Universal Joint. Extension Bar, 2" long. Extension Bar, 5" long. Extension Bar, 10" long. Extension Bar, 20" long.	3.50 4.50 1.75 6.00 2.10 1.30 1.30
	Service Drive 3/4" square	
H6L H7L H12L HXL8 HXL16	Hinged Tee Handle, 19" long. Slide Tee Handle, 18" long. Gear Type Ratchet Wrench, 18" long. Extension Bar, 8" long. Extension Bar, 16" long.	5.00 12.00
	Adapter Plugs	
HAA HAO HA1 HA2 HA3 HA4 HA5	14" Male End 14" Male End. 36" Male End 9/32" Female End. 14" Male End 9/32" Male End. 14" Male End 36" Male End. 9/32" Male End 36" Female End. 36" Male 12" Female End. 12" Male End 34" Female End.	.65 .55 .55





## Unbreakable Shockproof Screw Drivers


No. SK8 Set

Finest quality tools that stand up under severe service and protect users from electrical shocks. Handles are of a special cellulose compound extensively used for insulators in the finest electrical equipment. This material is practically unbreakable, will not split, blades never come loose. Handles are deeply fluted providing an excellent grip for greasy hands.

Blades are of a special alloy steel developed for screw driver service. Each blade is hammer forged and individually heat treated to assure perfect temper.

No.		List Price
K182R	1/8" Round Blade, 2" long	\$0.35
K3164R	3/16" Round Blade, 4" long	
K3166R	3/16" Round Blade, 6" long	1.20
K3168R	3/16" Round Blade, 8" long	
K141S	1/4" Square Blade, 1" long	1.32
K144S	1/4" Square Blade, 4" long	1.80
K146S	1/4" Square Blade, 6" long	1.92
K148S	1/4" Square Blade, 8" long	2.16
K1412S	For electrical and refrigeration work	
	requiring a long blade. 12" long	2.50

List Price \$10.00




## Screw Drivers for Phillips Screws



Hinsdale quality screw drivers developed especially for use on the Phillips Screw.


Blades are of a special alloy steel, carefully tempered for screw driver service. Points are accurately ground to fit perfectly into the heads of these new screws.

Shockproof handles are of a special cellulose compound extensively used for insulators on electrical equipment. This material is practically unbreakable—will not split—the blades never loosen. Handles are extra large and deeply fluted to afford a powerful grip.



#### **SPECIFICATIONS**


No.	Length	Fit Phillips Screws List Price	
KP 3	3"	No. 4 and smaller	
KP 1½	11/2"	No. 5 to 9 inclusive 1.10	
KP 4	4"	No. 5 to 9 inclusive	
KP 6	6"	No. 10 to 16 inclusive 2.20	
XP 8	8"	No. 18 and larger 2.70	



										gert de						
LIST	PRICE	6000		0.95	1.00	57/64 53/4 1.20	25/64 61/64 61/4 1.25	1.50	1.55	1.55	2.35	2.85	2.85	3.75	3.90	5.35
-	١	8	+	43/4	5/4	53/4	0 4 4	2	ഗ	တ	2	N	<u></u>	<u>5</u>	<u>න</u>	5
	Г	/=	911	25/22	25/32	57/64	61/64	13/64	1 3/32	13/32	1 1/32 1	1.7/32	<del>5</del> /8	91/11	5/    6	23/16
0	פ	<u>/</u> 6	761	5/16	11/32	3/8	25/64	27/64 13/64	29/64   5/32	3/64	5/8	5/8	9 /	3/4	22//32	15/16
L	L	13/	0/	_/ &	5/32	5/32	7/32	7/32	7/32	7/32	5/8 DIA.	DIA.		MeDIA.	11/16 DIA. 27/32	7/8 DIA. 15/16 23/16
u	١	777	104	7/16	7/16		9//6	5/8	9 /	45/64 11/16	5/8	5/8	1/16DIA.	1/16	9//	
	)		<b>40</b> /	3/8	91/2	1/64	19/64 35/64 9/16	19/32	.756 .763 19/16 <sup>2</sup> //64 <sup>2</sup> // <sub>32</sub> 11/16	45/64	3/4	13/16	55/64	59/64	15/64	1/4
,	ر	13/	49/	7/32	15/64	15/64	19/64	19/64	21/69	21/64	9//6	9/16 13/16	% %	5/8	9  -  -	3/4
a	۵	13/	2	29/32	.504.510 11/32	13/16	.630 .636 13/32	176	19/16	.819 .826 13/4 2/64	17/8	17/8	21/4		23/4	ന
4	MAX.	30.	, JO4	440,446	<u>5</u>	.567.573	.636	107.	.763	.826	881.888 17/8	944.952 17/8	.0071.015 21/4	1.068   1.088 2 1/4	.2571.267 23/4	1.458
	ŻΣ	270	100 USC	.440	.504	.567	.630	.694.701 17/6 19/64 19/32	.756	819	188.	944	1.007	1.068	1.257	1.448
NORMAL	SIZE MIN. MAX.		0	7/16	1/2	9//6	5/8	1/16	3/4	13/16	2//8	17/16	_	1/16	1/4	BE 46   17/16   1.448   1.458
014		513	2515	BE14	BEIG	BEIB	BE 20	BE22	BE 24	<b>BE26</b>	BE 28	<b>BE30</b>	BE32	BE34	BE 40 1/4	3E 46
L						ر ت										السا



## Combination Box and End Wrenches




Have 12 point, 15 degree Hinsdale Non-Slip Safety box head on one end and open end head with narrow pointed jaws on the other — a combination that gives greatest speed and convenience.




#### Heavy Duty — Long Handles

	Open-	BOLT	SIZES			List
No.	ings	S.A.E.	U.S.S.	Length	Weight	Price
BE28	7/8"	9/16"	1/2"	12"	• 3/4 lb.	\$2.35
BE30	15/16"	5/8"		12"	l lb.	2.85
BE32	1"	11/16"		15"	11/4 lb.	2.85
BE34	1-1/16"	3/4"	5/8"	15"	1½ lb.	3.75
BE40	1-1/4"	7/8''	3/4"	18"	2½ lb.	3.90
BE46	1-7/16"	1"	7/8"	21"	4 lb.	5.35

Extra long handles on heavy duty sizes for powerful leverage on large nuts. Drop forged of SAE 6140 Chrome Vanadium Steel with box heads hot broached to close tolerances, electrically heat treated for maximum strength. Finished in triple chromium plate with polished heads.






																50	
J	L	M	N	LIST PRICE	N	0		NING	A	В	C	۰D	E	F	G	L	LIST PRICE
113/6	9	3/8	3/8	1.95	EJ6	2.7	13/64	-7/32	.205 .208	220	15/32	15/32	3/32	3/32		215	0.50
113/16	10	7/16	7/16	1.95	E 1.7:	.8	13/64	-1/4	.236	252	15/32	15/32	7/64			21/16	0.50
23	10	7/16	7/16	1.95	E 1.9	-11		:1/32	.284	.348	19/32	19/32	7/64	7/64	5/64	31/2	0.50
23/6	10	7/16	7/16	1.95	EII	0-12	5/16	3/8	.316	.379 .384	23/32	13/32	1/4	1/4	3/32	311/6	0.50
2 1/16	10	7/16	7/16	1.95			•										
23/16	10	7/16	7/16	1.95	No		A	B	A	E		:   [	E		F	G	Н
23/6	10	7/16	7/16	1.95	174	11	3/16	2	1.81	9 2.0 6 2.0	4 1	/2 1	/2 1	12 1	37/4	47/64	33/8
23/16	10	7/16	7/16	1.95	J			M	N	LIS	T						
23/16	10	7/16	7/16	1.95	37/8	1.5	5/4	5/8	5/8								
25/16	11	1/2	1/2	2.72							-						
25/16	11	1/2	1/2	2.72													
25/6	11	1/2	1/2	2.72													
25/16	11	1/2	1/2	2.72													
25/16	11	1/2	1/2	2.72													
25/16	11	1/2	1/2	2.72													
33/8	13%	5/8	5/8	4.90													
33/8	13%	5/8	5/8	4.90													
3%	13%	5/8	5/8	4.90													
33/8	13%	5/8	5/8	4.90													
33/8	13%	5/8	5/8	4.90													
3%	13%	5/8	5/8	4.90													
3%	13%	5/8	5/8	4.90													
3%	13%	5/8	5/8	4.90													
3%	13%	5/8	5/g	4.90													
33/8	13%	5/8	<i>5</i> /8	4.90							- (	1					
3%	13%	5/8	5/8	4.90							5( <del>-</del>	-)D					
33/8	13%	5/8	5/8	4.90			MI	FG	. 6				HI	CAG	10, I	LL.	
33/8	12%	5/g	5/g	4.59			(		DEL	JF	= NU	D V	/DE	= NL	H		
23/	123/	5/	5/	400						1 L	-141	V	AVE	-140	11		ASSA VA



# A Scientifically Designed End Wrench



This end wrench has been scientifically designed to fit in the places where other end wrenches will not work. The head of the wrench will turn past obstructions, right up to the handle, a full swing even in the tightest places.

Saves hours of time, and hundreds of extra movements. The comfortable rounded handle edge never cuts, even on the hardest pull. Heads are set at a 15 degree angle.

Every wrench is more than strong enough to shear off the bolt it fits. Made from the finest Chrome Vanadium Steel, S.A.E. 6140, electrically treated for maximum toughness and hardness. Triple chromium plated, polished heads, with copper and nickel undercoating.

#### Popular Sets

**EIGHT WRENCHES** — Includes Nos. 1020, 1723, 1725B, 1027, 1729, 1731, 1031 and 1033C in serviceable roll.

No. 8EP

List Price \$8.60

FIVE WRENCHES — Includes Nos. 1020, 1723, 1725B, 1027 and 1729 in serviceable roll.


No. 5EP

List Price \$3.75

THREE WRENCHES — Includes Nos. 1020, 1723 and 1725B in serviceable roll.


No. 3EP

List Price \$1.80





## FLARE NUT BOX WRENCHES



A new wrench development of amazing utility. Built on the 12-point box wrench principle with section cut away to slip around a pipe, tube, or bolt. Walls are extra thick to give great strength. Short round handle for working in minimum space. Can't slip off or mutilate nuts. Just the thing for flare nuts on refrigerators, oil burners, tractors and the numerous places


where copper tubing is used. Ideal for packing nuts on valves and pumps, as well as nuts on head lights. Large sizes for industrial purposes. Replaces box wrenches for many uses. Drop forged of S. A. E. 6140 Chrome Vanadium Steel, electrically heat-treated and triple chromium plated. Available in complete range of sizes listed below.

No.	Opening Size	U.S.S. Size	Length	List Price	No.	Opening Size	U.S.S. Size	Length	List Price
BR 10	5/16"	1/8"	6"	\$ 1.00	BR 42	1-5/16"		151/2"	\$ 3.19
BR 12	3/8"		6"	1.00	BR 44	1-3/8"		16"	3.60
BR 14	7/16"		7"	1.05	BR 46	1-7/16"	7/8"	19"	4.30
BR 16	1/2"	1/4"	7"	1.05	BR 48	1-1/2"		19"	4.30
BR 18	9/16"		7"	1.15	BR 52	1-5/8"	1"	191/2"	4.50
BR 20	5/8"		7"	1.20	BR 56	1-3/4"		191/2"	4.50
BR 22	11/16"	3/8"	7"	1.30	BR 58	1-13/16"	11/8"	211/2"	5.30
BR 24	3/4"		7"	1.38	BR 60	1-7/8"		211/2"	5.30
BR 26	13/16"		71/2"	1.45	BR 64	2"	11/4"	221/4"	5.65
BR 28	7/8"	1/2"	8"	1.45	BR 70	2-3/16"	13/8"	24"	10.10
BR 30	15/16"		8"	1.50	BR 72	2-1/4"		24"	10.10
BR 32	1"		81/2"	1.70	BR 76	2-3/8"	11/2"	24"	10.10
BR 34	1-1/16"	5/8"	14"	1.88	BR 82	2-9/16"	15/8"	26"	14.85
BR 36	1-1/8"		14"	1.95	BR 84	2-5/8"		26"	15.90
BR 38	1-3/16"		141/2"	1.95	BR 88	2-3/4"	13/4"	28"	15.90
BR 40	1-1/4"	3/4"	151/2"	2.78	1. 100 1. 10%				



## HEAVY DUTY BOX WRENCHES

THE
DOUBLE
OFFSET
WRENCHES



FOR THOSE
HARD
TO GET AT
PLACES

#### THE LONG BOX WRENCHES ARE PACKED IN THE FOLLOWING SETS:

No. HD500		CONTRACTOR AND ADMINISTRATION OF THE PARTY.	HD16-18, HD26-28		\$6.05	No. HD900		HD24-25, HD34-36,	HD26-28, HD40-44,	HD30-32, HD46-52.	
No. HD600	rontologa	או מותו	UDIC 10	TID00 00						•••••	
Mo. HDoon			HD26-28,			No. BG500	contains:		HD40-44, HD70-76.	HD46-52,	
		List Price			7.59			List Price		\$	30.30


#### THREE HANDY SHORT OFFSET BOX WRENCHES

Set No. 300X consists of:

X12-14

X16-18

X20-22



This set of 3 shorts cover the six sizes most frequently used, and are ideal for close quarters work. Many mechanics carry the set in their pockets.

No. 300X SET OF THREE — LIST PRICE....\$2.55



## HEAVY DUTY BOX WRENCHES

#### **SPECIFICATIONS**

			Bolt Sizes			List
No.	Openings	S.A.E.	U.S.S.	Length	Weight	Price
HD10-12	5/16" x 3/8"		1/8" x	73/4"	3 oz.	\$1.04
HD12-14	3/8" x 7/16"	x 1/4"	X X	73/4"	4 oz.	1.04
HD16-18	1/2 x 9/16"	5/16" x 3/8"	1/4" x	83/4"	5 oz.	1.09
HD18-20	9/16" x 5/8"	3/8" x 7/16"	X X	9½"	8 oz.	1.19
HD20-22	5/8" x 11/16"	7/16" x	x 3/8"	91/2"	8 oz.	1.19
HD22-28	11/16" x 7/8"	x 9/16"	3/8" x 1/2"	101/2"	13 oz.	1.30
HD24-25	3/4" x 25/32"	1/2" x	x 7/16"	101/2"	11 oz.	1.29
HD24-28	3/4" x 7/8"	1/2" x 9/16"	x 1/2"	111/2"	14 oz.	1.44
HD26-28	13/16" x 7/8"	x 9/16"	x 1/2"	11½"	13 oz.	1.44
HD30-32	15/16" x 1"	5/8" x 11/16"	x	121/2"	15 oz.	1.54
HD28-34	7/8" x l- 1/16"	9/16" x 3/4"	1/2" x 5/8"	15½"	1 lb. 8 oz.	3.15
HD34-36	1- 1/16" x 1- 1/8"	3/4" x	5/8"x	15½"	1 lb. 11 oz.	3.15
HD34-40	1- 1/16" x 1- 1/4"	3/4" x 7/8"	5/8" x 3/4"	16½"	2 lb. 3 oz.	3.60
HD40-42	1- 1/4" x 1- 5/16"	7/8" x	3/4" x	173/4"	2 lb. 8 oz.	3.60
HD40-44	1- 1/4" x 1- 3/8"	7/8" x	3/4" x	18½"	2 lb. 8 oz.	3.60
HD40-46	1- 1/4" x 1- 7/16"	7/8" x1"	3/4" x 7/8"	23''	3 lb. 12 oz.	4.95
HD46-48	1- 7/16" x 1- 1/2"	1" x	7/8" x	205/8"	4 lb.	4.95
HD46-52	1- 7/16" x 1- 5/8"	1" x 1-1/8"	$7/8'' \times 1''$	23"	4 lb. 4 oz.	4.95
HD58-64	1-13/16" x 2"	1-1/4" x 1-3/8"	1-1/8" x 1-1/4"	241/4"	6 lb. 6 oz.	8.50
HD64-76	2" x 2- 3/8"	1-3/8" x	1-1/4" x 1-1/2"	26"	9 lb. 8 oz.	10.10
HD70-76	2- 3/16" x 2- 3/8"	1-1/2" x	1-3/8" x 1-1/2"	26"	8 lb.	10.10
HD82-88	2- 9/16" x 2- 3/4"	x	1-5/8" x 1-3/4"	28"	11 lb. 7 oz.	15.90
X12-14	3/8" x 7/16"	x 1/4"	X X	43/4"	2 oz.	.80
X16-18	1/2" x 9/16"	5/16" x 3/8"	1/4" x	5½"	3 oz.	.85
X20-22	5/8" x 11/16"	7/16" x	x 3/8"	53/4"	4 oz.	.90

These wrenches same as HD1, etc. series shown on page 18 of Catalog No. 97.



9/16 HINS(A)DALE

#### SINGLE END OFFSET BOX WRENCHES

These Single End Box Wrenches are made especialy for mechanics who need great strength and a short handle.

										STATE OF THE PARTY OF THE PARTY.
Opening Size	Length	List Price	No.	Opening Size	Length	List Price	No.	Opening Size	Length	List Price
5/16"	6''	\$1.00	SEB 32	1"	8½"	1.70	SEB 56	1-3/4"	19½"	4.50
3/8"	6"	1.00	SEB 34	1-1/16"	14"	1.88	SEB 58	1-13/16"	211/2"	5.30
7/16"	7"	1.05	SEB 36	1-1/8"	14"	1.95	SEB 60	1-7/8"	211/2"	5.30
1/2"	7"	1.05	SEB 38	1-3/16"	141/2"	1.95	SEB 64	2"	221/4"	5.65
9/16"	7''	1.15	SEB 40	中国的发展,其他是一种发展的	151/2"		SEB 70	2-3/16"	24"	10.10
	7''	1.20	SEB 42				SEB 72			10.10
		1.30		<b>文文 "大人" 在一个,不是一个</b>						10.10
3/4"	7''	1.38								10.10
13/16"	71/2"	1.45	SEB 46	1-7/16"	19"	4.30	SEB 82	2-9/16"	26"	14.85
7/8"	8"	1.45	SEB 48	1-1/2"	19"	4.30	SEB 84	2-5/8"	26"	15.90
15/16"	8"	1.50	SEB 52	1-5/8"	191/2"	4.50	SEB 88	2-3/4"	28"	15.90
	5/16" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8"	5/16" 6" 3/8" 6" 7/16" 7" 1/2" 7" 9/16" 7" 5/8" 7" 11/16" 7" 3/4" 7" 13/16" 7½" 7/8" 8"	5/16"       6"       \$1.00         3/8"       6"       1.00         7/16"       7"       1.05         1/2"       7"       1.05         9/16"       7"       1.15         5/8"       7"       1.20         11/16"       7"       1.30         3/4"       7"       1.38         13/16"       7½"       1.45         7/8"       8"       1.45	5/16"       6"       \$1.00       SEB 32         3/8"       6"       1.00       SEB 34         7/16"       7"       1.05       SEB 36         1/2"       7"       1.05       SEB 38         9/16"       7"       1.15       SEB 40         5/8"       7"       1.20       SEB 42         11/16"       7"       1.30       SEB 42         3/4"       7"       1.38       SEB 44         13/16"       7½"       1.45       SEB 46         7/8"       8"       1.45       SEB 48	5/16"       6"       \$1.00       SEB 32       1"         3/8"       6"       1.00       SEB 34       1-1/16"         7/16"       7"       1.05       SEB 36       1-1/8"         1/2"       7"       1.05       SEB 38       1-3/16"         9/16"       7"       1.15       SEB 40       1-1/4"         5/8"       7"       1.20       SEB 42       1-5/16"         11/16"       7"       1.30       SEB 42       1-5/16"         3/4"       7"       1.38       SEB 44       1-3/8"         13/16"       7½"       1.45       SEB 46       1-7/16"         7/8"       8"       1.45       SEB 48       1-1/2"	5/16"       6"       \$1.00       SEB 32       1"       8½"         3/8"       6"       1.00       SEB 34       1-1/16"       14"         7/16"       7"       1.05       SEB 36       1-1/8"       14"         1/2"       7"       1.05       SEB 38       1-3/16"       14½"         9/16"       7"       1.15       SEB 40       1-1/4"       15½"         5/8"       7"       1.20       SEB 42       1-5/16"       15½"         11/16"       7"       1.30       SEB 42       1-5/16"       15½"         3/4"       7"       1.38       SEB 44       1-3/8"       16"         13/16"       7½"       1.45       SEB 46       1-7/16"       19"         7/8"       8"       1.45       SEB 48       1-1/2"       19"	5/16"       6"       \$1.00       SEB 32       1"       8½"       1.70         3/8"       6"       1.00       SEB 34       1-1/16"       14"       1.88         7/16"       7"       1.05       SEB 36       1-1/8"       14"       1.95         1/2"       7"       1.05       SEB 38       1-3/16"       14½"       1.95         9/16"       7"       1.15       SEB 40       1-1/4"       15½"       2.78         5/8"       7"       1.20       SEB 42       1-5/16"       15½"       3.19         11/16"       7"       1.30       SEB 44       1-3/8"       16"       3.60         3/4"       7"       1.38       SEB 46       1-7/16"       19"       4.30         13/16"       7½"       1.45       SEB 48       1-1/2"       19"       4.30	5/16"         6"         \$1.00         SEB 32         1"         8½"         1.70         SEB 56           3/8"         6"         1.00         SEB 34         1-1/16"         14"         1.88         SEB 58           7/16"         7"         1.05         SEB 36         1-1/8"         14"         1.95         SEB 60           1/2"         7"         1.05         SEB 38         1-3/16"         14½"         1.95         SEB 64           9/16"         7"         1.15         SEB 40         1-1/4"         15½"         2.78         SEB 70           5/8"         7"         1.20         SEB 42         1-5/16"         15½"         3.19         SEB 72           11/16"         7"         1.30         SEB 44         1-3/8"         16"         3.60         SEB 76           3/4"         7"         1.38         SEB 46         1-7/16"         19"         4.30         SEB 82           7/8"         8"         1.45         SEB 48         1-1/2"         19"         4.30         SEB 84	5/16"       6"       \$1.00       SEB 32       1"       8½"       1.70       SEB 56       1-3/4"         3/8"       6"       1.00       SEB 34       1-1/16"       14"       1.88       SEB 58       1-13/16"         7/16"       7"       1.05       SEB 36       1-1/8"       14"       1.95       SEB 60       1-7/8"         1/2"       7"       1.05       SEB 38       1-3/16"       14½"       1.95       SEB 64       2"         9/16"       7"       1.15       SEB 40       1-1/4"       15½"       2.78       SEB 70       2-3/16"         5/8"       7"       1.20       SEB 42       1-5/16"       15½"       3.19       SEB 72       2-1/4"         11/16"       7"       1.30       SEB 44       1-3/8"       16"       3.60       SEB 76       2-3/8"         3/4"       7"       1.38       SEB 46       1-7/16"       19"       4.30       SEB 82       2-9/16"         7/8"       8"       1.45       SEB 48       1-1/2"       19"       4.30       SEB 84       2-5/8"	5/16"         6"         \$1.00         SEB 32         1"         8½"         1.70         SEB 56         1-3/4"         19½"           3/8"         6"         1.00         SEB 34         1-1/16"         14"         1.88         SEB 58         1-13/16"         21½"           7/16"         7"         1.05         SEB 36         1-1/8"         14"         1.95         SEB 60         1-7/8"         21½"           1/2"         7"         1.05         SEB 38         1-3/16"         14½"         1.95         SEB 64         2"         22¼"           9/16"         7"         1.15         SEB 40         1-1/4"         15½"         2.78         SEB 70         2-3/16"         24"           5/8"         7"         1.20         SEB 42         1-5/16"         15½"         3.19         SEB 72         2-1/4"         24"           11/16"         7"         1.30         SEB 44         1-3/8"         16"         3.60         SEB 76         2-3/8"         24"           13/16"         7½"         1.45         SEB 46         1-7/16"         19"         4.30         SEB 82         2-9/16"         26"           7/8"         8"         1.45 <td< th=""></td<>

	7 7 7
7.830 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10 10.10	HINS ODALE CO CHICAGO, ILL CTURAL BOX WRENCHES
1/6 1/6 22 1/6 1/6 22 1/6 1/6 22 1/6 1/6 22 1/6 1/6 22 1/6 1/6 29/4 1/4 1/6 29/4 1/6 1/6 29/4	WREN
1   1   1   1   1   1   1   1   1   1	Box /
	NSC RAL E
12/24/21/21/21/24/24/21/20/24/20/2/	S. G. HIII
4 8 9 9 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	MFG. CO STRUCTURAL 7/16 TO
4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5/2
TS 22 T TS 28	
F=1010101010101010101000000000000000000	
20 0 20 0 10 0 20 20 20 20 20 20 20 20 20 20 20 20	
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
0 22 25 25 25 25 25 25 25 25 25 25 25 25	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
7/6 4442 23/2 5/6 4442 23/2 5/6 4442 23/2 5/6 4442 23/2 5/6 4442 23/2 5/6 5/2 5/6 5/2 5/6 5/2 5/6 5/2 5/2 5/2 5/2 5/2 5/2 5/2 5/2 5/2 5/2	
A A A A A A A A A A A A A A A A A A A	
No A HS 16 1/2 HS 20 5/8 HS 20 1/6 HS 20 1/6 HS 20 1/6 HS 30 1/6 H	
го — Ш — — — — — — — — — — — — — — — — —	
ż	
2 Poi X1	
- 22	
- 0 -	



## STRUCTURAL WRENCHES

HINS () DALE



Designed especially to reduce hazards of structural work or other heavy duty service where a slip may result in serious injuries.


The deep, TWELVE POINT Non-slip, SAFETY Box Head is hot broached to close tolerances from drop forged SAE 6140 Chrome Vanadium Steel. It engages all six faces of a hexagon nut—assuring a full, firm hold with no possibility of spreading or slipping, a common cause of accidents when ordinary tools are used.

The abrupt offset allows clearance for obstacles and reduces hand injuries. The long tapered handles are very effective for bringing bolt holes into line.

Drop forged of 6140 Chrome Vanadium Steel, electrically heat treated and triple chromium plated with polished heads.

Extensively used in all types of industrial service where powerful leverage is necessary.

No.	Opening Sizes	U.S.S. Bolt Sizes	Length	Weight	Diameter of Shank	List Price
		Don Dizes				
HS14	7/16"	2711	8½"	4 oz.	9/32''	1.05
HS16	1/2"	1/4"	9"	4½ oz.	11/32"	1.05
HS18	9/16"		9"	6 oz.	11/32"	1.15
HS20 HS22	78	3/11	9" 9"	6½ oz.	7/16"	1.20
HS24	11/16"	3/8"	9"	7 oz. 9 oz.	7/16"	1.30
HS26	13/16"		9"	9 oz. 10 oz.	7/16"	1.38
HS28	7/8"	1/2"	10"	10 Oz.	7/16" 7/16"	1.45
HS30	15/16"	12	10"	11½ oz.	1/2"	1.50
HS32	10, 10,		101/2"	1 lb. oz.	9/16"	1.70
HS34	-1-1/16"	5/8"	16"	1 lb. 1 oz.	5/8"	1.88
HS36	11/8"		16"	1 lb. 3 oz.	5/8"	1.95
HS38	1-3/16"		161/2"	1 lb. 6 oz.	3/4"	1.95
HS40	11/4"	3/4"	17"	1 lb. 9 oz.	3/4"	2.78
HS42	1-5/16"		17"	2 lb. oz.	3/4''	3.19
HS44	13%"		18"	2lb. 4 oz.	3/4"	3.60
HS46	1-7/16"	7/8"	211/2"	2 lb. 10 oz.	7/8"	4.30
HS48	11/2"		211/2"	2 lb. 11 oz.	7/8"	4.30
HS52	15/8"	1"	22"	2lb. 12 oz.	1"	4.50
HS56	13/4"		22"	4 lb. 6 oz.	1-1/16"	4.50
HS58	1-13/16"	11/8"	24"	4 lb. 9 oz.	1-1/16"	5.30
HS60	17/8"	11/11	24"	4 lb. 9 oz.	1-1/16"	5.30
HS64 HS70	2"	11/4"	24½" 26"	5 lb. oz.	11/8"	5.65
HS72	2-3/16" 2½"	13%"	26"	6 lb. 4 oz.	11/8"	10.10
HS76	23/8"	11/2"	271/4"	6 lb. 8 oz. 7 lb. 4 oz.	1-3/16	10.10
HS82	2-9/16"	15/8"	291/4"	0.11	1-3/16	10.10
HS84	25/8"	1 78	291/4"		1 <sup>1</sup> / <sub>4</sub> " 1 <sup>1</sup> / <sub>4</sub> "	14.85 15.90
HS88	23/4"	13/4"	303/4"	8 lb. 14 oz. 9 lb. 4 oz.	1-5/16	15.90
	2/2		00 /4	J 1D. 7 UZ.	1-5/10	10.00





## REFRIGERATION SERVICE TOOL SET



## Handy Refrigeration Service Set 9/32" Square Drive


Includes the most essential tools for effective service on a great variety of refrigeration equipment. Hinsdale Tools of Quality specially designed for service in close quarters.

Made of S.A.E. 6140 Chrome Vanadium Steel, electrically heat treated for great strength. Finished in triple chromium plate.

No. 119 List Price \$12.15

The se	et contain	s seven spe	cially desig	ned thir	walled	Four Sp	pecial Packing Gland Sockets
12 pt. refrigeration sockets.						MZ1	5/16" I.D. 7/16" O.D <b>\$ .65</b>
No.	A	List Price	No.		List Price	MZ2	21/64" I.D. 15/32" O.D
SM7	7/32"	\$ .45	SM11	11/32"	\$ .45	MZ3 MZ6	29/64" I.D. 11/16" O.D
SM8	1/4"	.45	SM12	3/8"	.45	HAI	1/4" x 9/32" Adapter Plug
SM9	9/32"	.45	SM14	7/16"	.45	нем	Refrigeration Ratchet Wrench. Reversible. Operates in
SM10	5/16"	.45					30% less space. Ratchet opening is 1/4" square. Handle
Four 4	nt socket	s for square	ralvo stome				openings are $3/16''$ & $1/4''$ square with $1/2''$ hex socket.
			valve stellis				Semi-finished
5QM6	3/16"	.45	SQM8	1/4"	.45	H7M	4-1/2" Slide Tee Handle
SQM7	7/32''	.45	SQM10	5/16"	.45	HXM6	6" Extension Bar

Case of metal with enduring black enamel finish. Total weight  $1\frac{1}{2}$  lbs.



#### Master Mechanics Refrigerator Service Set

A complete refrigerator service set—provides sockets for every use. Hotforged tools of S.A.E. 6140 Chrome Vanadium and alloy steels—heattreated—triple chromium plated and polished. Compact metal case finished in baked enamel.

No. 127

List Price \$18.30

#### SET CONTAINS -

9/32" Square Drive Sockets	Packing Gla	nd Sockets 3/8"	Square Drive Sockets
No. List Pr	oe No.	List Price No.	List Price.
SM7 7/32"\$	15 MZ1 5/16"	I.D., 7/16" O.D\$ .65 SJ16	1/2"\$ .60
SM8 1/4"	14144 21/04	I.D., 15/32" O.D	9/16"
SM9 9/32"	M7.3 29/64"	I.D., 11/16" O.D	5/8"
<b>SM10</b> 5/16" <b>SM11</b> 11/32"	3.5770 TT TZ	otest Socket	8" Extension Bar 1.40
SM12 3/8"		' Adapter Plug	
SM14 7/16"	45 HA1 1/4" x	9/32" Adapter Plug55	
<b>SQM6</b> 3/16"	HAM 6" Befr	geration Ratchet	ort Box Wrenches
SQM7 7/32"	15		14 3/8" x 7/16"
SQM8 1/4"	TTERE 4 1 /0!!	Slide Tee Handle	18 1/2" x 9/16"
SQM12 3/8"			<b>22</b> 5/8" x 11/16"



#### Refrigeration Ratchet Wrench



Operates in 30% less space with minimum clearance. Special gear has 24 teeth. The pawl engages two teeth instead of one. Double contact gives double strength, yet permits tightening nut in space of 1/24 turn. Ratchet is instantly reversed by a touch of the convenient rounded control.

Ratchet opening is 1/4" square. Handle openings are 3/16" and 1/4" square with 1/2" hex socket. Drop forged and triple chromium plated. Length 6".

H6M Ratchet—Semi Finish.....List Price \$2.15

#### Adapter Plugs





No.	Size	List Price
HAl	$1/4 \times 9/32$	\$0.55
HA2	$1/4 \times 3/8$	.55
HA3	3/8 x 9/32	.65

#### Special Packing Gland Sockets

Service Drive 9/32" Square Outside Inside List No. Price Diam. Diam. MZ1 5/16 7/16 \$0.65 21/64 15/32 .65 MZ2 29/64 .70 MZ3 11/16 .70 MZ6 For Kerotest



#### Sockets for Square Valve Stems

Service Drive 9/32" Square

#### 4 Point Sockets

Square Size	List Price
3/16"	\$0.45
7/32"	.45
1/4"	.45
5/16"	.45
3/8"	.45
	Size 3/16" 7/32" 1/4" 5/16"




8 Point Sockets

A STATE OF THE PARTY OF THE PAR		
	Square	List
No.	Size	Price
SQM8	1/4"	\$0.45
SQM10	5/16"	.45

#### Popular Tiny Socket Set — 9/32" Drive

Fits all the small sizes—has thousands of uses, everywhere. Includes 9 sockets, two squares 1/4" and 5/16", seven hex 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16".



A six inch Extension and Slide Tee Handle makes dozens of combinations. Packed in handy metal container.

No. 111

List Price \$2.90

## Quality Pliers of Exceptional Utility

#### Tiny Pliers




The midget tool of a million uses. Every home, office, shop, and factory—every maintenance man and service man will find hundreds of uses for these tiny pliers. Small and thin with tapered nose set at an angle to reach nuts in difficult locations. Drop forged of S.A.E. 6140 Chrome Vanadium Steel, it has amazing strength for so small a tool. Three point locking joint gives opening from zero to ½ inch. Triple chromium plated with polished head. 4½" long.

No. PI 41/2

List Price \$1.10

## General Purpose Adjustable Pliers



Cover amazing range of uses. Close tight to pull a small cotter pin or open up to grasp a 2-inch nut. Eight quick joint adjustments give any intermediate size. Have thin, biting jaws with tapered points shaped to reach the hard-to-get-at-places. Drop forged of S.A.E. 6140 Chrome Vanadium Steel to combine tremendous strength with resilient toughness. Triple chromium plated and attractively polished. Knurled non-slip handles shaped to fit the hand —9½" long.

No. PW9

List Price \$1.90

#### Angle Nose Pipe Pliers



A brute for strength and holding power. Reverse cut teeth grip nut, rod or pipe just like teeth of a pipe wrench. Designed so turning pressure on handles multiplies grip. Carefully shaped head set at a 30° angle for effective use in cramped position. Opens up to take better than 1-inch nuts. Drop forged of 6140 Chrome Vanadium Steel — triple chromium plated. 7½" long.


No. PB6

List Price \$1.75

	PRICE 1.04 1.04 1.09 1.19 1.19 1.19 1.19 1.19 1.19 1.19	4.95 4.95 6.50 6.50 6.90 6.90 6.90 6.90
	2 4 1 1 1 1 1 1 1 1 1 4 1 1 4 4	0 4 4 7 4 0 4
	GG 5/16 3/8 3/8 3/8 3/8 3/8 3/8 3/8 3/8 3/8 3/8	8/7 8 - 1/1 8 8 8 8 8 8 8 8 9 1/1 9 1
	5/6 5/16 5/16 1/2 1/32 9/16 9/16 9/16 9/16 9/16 3/4 23/32 23/32 27/32 27/32 27/32	3/32   1/8   1/32   1/32   1/16   1/16   1/92   1
3-12E	F. F	31/32 31/32 13/32 17/32 19/32 19/16 5/16 13/32
	D D D D D D D D D D D D D D D D D D D	217/32 22/7/32 33/8 33/2 41/6 9/16
HINS (*) DALE	0 % in a second of the second	2 2 1/8 2 2 1/8 3 3 1/8 3 3 1/8 19/32 1 19/32
	BMIN. MAX. 379.384 442.447 567.573 630.636 694.701 787.794 881.888 881.888 881.888 10071.015 1.0711.080 1.33.1142 1.3201.329 1.3851.395	1.5101.521 1.6371.648 2.0142.025 2.3892.401 2.3892.401 2.7672.778 442.447 442.447 567.573
42 42	DOPENING MAX. MIN. MAX.  D-12 5/6-3/8 316 321 379 384  D-12 5/8-1/6 630 636 694 701  D-12 5/8-1/6 881 888 007 005  D-12 15/6-1 944 952 007 1015  D-13 15/6-1 944 952 007 1015  D-14 1/8-1/6 107 1080 007 1015  D-14 1/8-1/6 107 1080 007 133 007  D-14 1/8-1/6 127 1267 1385 1395  D-14 1/8-1/6 127 1267 1385 1395	6-48   7/6 - 1/2   448   458   510   521   6-52   7/6 - 1-5/8   448   458   510   521   6-52   7/6 - 1-5/8   448   458   637   1.648   648   7/8 - 2   825   1.836   2.014   2.025   649   7/8 - 2   825   1.836   2.014   2.025   649   2.025   649   2.025   649   2.025   639   2.401   6.28   2.34   2.378   2.389   2.401   6.28   2.34   2.378   2.389   2.401   6.28   7/8   2.378   2.389   2.478   6.28   7/8   2.378   7/8   2.378   7/8   2.378   7/8   2.378   7/8   2.378   7/8   2.378   7/8
Size	NORMAL Syle-3/8 316. 3/8 - 7/16 379. 3/8 - 7/16 379. 3/16 - 5/8 567. 3/4 - 7/8 5/8 - 7/8 6/94. 3/4 - 7/8 19/16 - 1/8 1071   1/16 - 1/8 1071   1/16 - 1/8 1071   1/16 - 1/8 1071   1/16 - 1/8 1071   1/16 - 1/8 1071   1/16 - 1/8 1071   1/16 - 1/8 1071   1/16 - 1/8 1071   1/16 - 1/8 1071   1/16 - 1/8 1071   1/16 - 1/16 1077   1/16 1	7/2 1.448 5/8 1.448 2 1.825 2/8 2.202 2/4 2.578 7/6 .379 9/6 .504
	NO NORMAL AAX.  HD-10-12 5/6-3/8 316 321  HD-12-14 3/8 - 7/6 379 384  HD-16-18 1/2 - 9/6 504 510  HD-24-25 3/4 - 5/8 567 573  HD-24-25 3/4 - 7/8 694 701  HD-26-28 13/6 - 7/8 819 826  HD-30-32 15/6-1 944 952  HD-30-32 15/6-1 944 952  HD-30-32 15/6-1 944 952  HD-34-36 13/6 - 1/8 1071 1.080  HD-34-4013/6-13/8 1071 1.080  HD-34-4013/6-13/8 12571.267  HD-40-42 1/4 - 15/6 1.2571.267  HD-40-41 1/4 - 13/8 1.2571.267	10.46-48   7/6-   1/2   1,448   458   476   1/2   1,448   1,58   10.46   52   1,64   1,58   1,448   1,58   10.58   64   1   7/6 - 2   1,825   1,836   10.58   62   1,825   1,836   10.50   62   63   63   63   63   63   63   63
	NO HD-10-12 HD-10-12 HD-10-12 HD-24-28 HD-24-28 HD-34-40 HD-34-40 HD-34-40 HD-34-40 HD-40-42	HD-46-48 HD-58-64 HD-58-64 HD-70-76 HD-70-76 HD-82-88 X-12-14 X-12-14 X- 16-18
- 4 -		



## Whitworth Openings on Hinsdale Tools



No. 18JW

List Price \$22.10


Weight 9 lbs.—Packed 20 to a Case

A Complete Aviation Socket Set with a full assortment of handles. These tools are the last word in refinement and superior strength. Their compactness and light weight make them a pleasure to use, and they save hours of time, because they fit any place and save lost motion. Nothing finer can be had. Every mechanic wants to replace his old style clumsy tools with a set like this. All handle openings are 3/4" square.

#### SPECIFICATIONS — JUNIOR SERIES, %" SQ. DRIVE

SJ12W SJ14W SJ16W	11/32" 23/64" 13/32" 29/64" 17/32"	12 pt. 12 pt. 12 pt.	Socket Socket		SJ24W SJ28W H3J	19/32" 12 pt. Socket 45/64" 12 pt. Socket 13/16" 12 pt. Socket 18" Speed Wrench 8" Hinged Tee Handle 10" Slide Tee Handle		HXJ5 HXJ8	Ratchet Wrench Universal Joint 5" Extension Bar 8" Extension Bar 18" Extension Bar
-------------------------	--	----------------------------	------------------	--	-----------------------	--	--	--------------	--

#### Combination Wrenches



Dual purpose wrenches for quick adjustments that offer a double attack on nut resistance. These tools have a 12 point, 15° box-head at one end and on open end head at the other . . . a flip of the wrench brings the most convenient type opening into use.

Drop forged from S.A.E. 6140 Chrome Vanadium Steel and completely heat treated for extra strength. Finished in triple Chromium plate with brightly polished heads. Set of six includes a strong metal clip.

BE14W BE16W BE18W BE20W BE24W	Fract'l Openings 13/32 29/64 17/32 19/32 45/64	3/16 1/4 5/16 3/8	Sizes B.S.F. 7/32 1/4 5/16 3/8 7/16	Length 43/4 51/4 53/4 61/4 7	List Price \$0.95 1.00 1.20 1.25 1.55
BE28W	13/16	7/16	1/2	8	1.55

No. BE6W Set of Six

List Price \$7.45

#### Pocket Socket Set



No. 13JW

List Price \$13.65

Weight 21/2 lbs. Packed 20 to a case.

This is a set every skilled mechanic will want to carry right in his pocket. It is a complete compact pocket edition Socket Set, and will serve 90 per cent of the uses he has for socket tools. All parts are made of the finest Chrome Vanadium Steel, triple plated, and fully polished. You can see how this set will pay for itself over and over again in time and work saved.

#### SPECIFICATIONS Junior Series, 3/8" Sq. Drive


					A		Marie Contract of the Contract
SJ11W 11/32"			SJ18W	17/32"	12	pt.	Socket
SJ12W 23/64"	12 pt.		SJ20W				
SJ14W 13/32"		Socket	SJ24W				
SJ16W 29/64"	12 pt.		SJ28W				

H5J 8" Hinged Tee HandleH12J Ratchet Wrench

HXJ8 8" Extension Bar



## Whitworth Openings on Hinsdale Tools



# A Highly Versatile Set That Can Also Be Used on American Made Cars

#### No. 29RW

List Price \$40.15


This assortment of tools is the choice of most experienced mechanics. It contains all the tools regularly needed for all around work. Every tool in the set is made from the finest chrome wanadium steel, heat treated to give maximum strength and toughness.

#### SPECIFICATIONS — STANDARD SERIES 1/2" SQ. DRIVE

SR16W	29/64" 12 pt. Socket	H3R	18" Speeder Handle
SR18W	17/32" 12 pt. Socket	H6R	18" Hinged Tee Handle
SR20W	19/32" 12 pt. Socket	H7R	10" Slide Tee Handle
SR24W	45/64" 12 pt. Socket	H12R	Ratchet Wrench
SR28W	13/16" 12 pt. Socket	H13R	Universal Joint
SR30W	59/64" 12 pt. Socket	HA4	3%" & ½" Adapter
SR34W	1-1/64" 12 pt. Socket	SJD12	3%" Deep Socket
SR36W	1-3/32" 12 pt. Socket	SJD14	7/16" Deep Socket
SR40W	1-13/64" 12 pt. Socket	SJD16	½" Deep Socket
SRDI	Drag Link Socket	SJD18	9/16" Deep Socket
SRA1	Alemite Socket	SJD20	5%" Deep Socket
HXR2	2" Extension Bar	SJD22	11/16" Deep Socket
HXR5	5" Extension Bar	SJD24	¾" Deep Socket
HXR10	10" Extension Bar	SJD26	13/16" Deep Socket

#### No. 13RW

List Price \$13.35



#### Weight $4\frac{1}{2}$ lbs. Packed 20 to a case

These 12 point Straight Wall Sockets are made from the finest steel obtainable for socket tools, Chrome Vanadium SAE 6140. The walls are extremely thin, making it easy to reach nuts in the tightest places without difficulty. Every socket is electrically heat treated for maximum strength. Drive opening is standard  $\frac{1}{2}$  square which fits all standard tools. Individual sizes are marked on the base of every socket. Finished, full polished, in triple chromium plate.

#### SPECIFICATIONS - STANDARD SERIES 1/2" SQ. DRIVE

**SR16W** 29/64" 12 pt. Socket **SR18W** 17/32" 12 pt. Socket **SR20W** 19/32" 12 pt. Socket

**SR24W** 45/64" 12 pt. Socket **SR28W** 13/16" 12 pt. Socket **SR30W** 59/64" 12 pt. Socket **SR34W** 1-1/64" 12 pt. Socket

**SR36W** 1-3/32" 12 pt. Socket **SR40W** 1-13/64" 12 pt. Socket **H6R** 18" Hinged Tee Handle



## Whitworth Openings on Hinsdale Tools



#### A Scientifically Designed End Wrench

This end wrench has been scientifically designed to fit in the places where other end wrenches will not work. The head of the wrench will turn past obstructions, right up to the handle, a full swing even in the tightest places. Saves hours of time, and hundreds of extra movements

The comfortable rounded handle edge never cuts, even on the hardest pull. Heads are set at a 15 degree angle.

Every wrench is more than strong enough to shear off the bolt it fits. Made from the finest Chrome Vanadium Steel, S.A.E. 6140, electrically heat treated for maximum toughness and hardness. Triple chromium plate, polished heads, with copper and nickel undercoating. Three Wrenches Packed in a Leatherette Roll 1721W—1024W—1728W

No. 3EW

No. 8EM Set, 8 Pieces

No 5FW

List Price \$2.30


Tiet Drice \$6 95

List Price \$9.85

Five Wrenches Packed in a Leatherette Roll 1721W—1024W—1728W—1733W—1735W

140. 01			List	TITCE	Ψ0.30
<b>经验证证</b>	Fractional	Bolt	Sizes		
No.	Openings	Wht. Std.	B.S.F.	Length	List Price
1721W	11/32x 29/64	1/8x3/16	x1/4	4"	\$0.50
1024W	17/32x 19/32	½x5/16	5/16x3/8	51/2"	.72
1728W	45/64x 13/16	3/8x7/16	7/16x½	8"	1.05
1733W	59/64x1-1/64	½x9/16	9/16x11/16	10"	1.95
1735W	1-3/32x1-13/64	5/8 x	.11/16x3/4	11"	2.72
1041W	1-31/64x1-11/16			151/4"	5.25
	MILLI	METER O	PENINGS		
No.	Openin	g Size	Length		List Price
9-10M	.354	394	4"		\$ .50
11-12M	.433	472	5"		.60
13-14M	.512	.551	51/2"		.72
15-16M	.590	630	6"		.88
17-18M	.669-	.709	7"		1.05
19-20M	.748-	.787	8"		1.45
21-22M	.827-	.866	9"		1.95
23-24M	.906-	.945	10"		2.72

## MASTER BOX WRENCHES



The strongest, fastest and most popular wrench made. These tools are hot forged from the finest S.A.E. 6140 Chrome Vanadium Steel. Electrically heat treated, they are more than strong enough to twist off the bolt they fit.



No. HW500

List Price \$7.20

No. HW300

List Price \$2.55

Set of Three Handy Shorts Packed in a Box

Se	et of	Five	Regula	r Longs	Packed	in a	a Bag

	Fractional	Bol	t Sizes		
No.	Openings	Wht. Std.	B.S.F.	Length	List Price
HW-1	11/32x 29/64	1/8x3/16	x1/4	71/2"	\$1.06
HW-2	17/32x 19/32	1/4x5/16	5/16x3/8	85/8"	1.09
HW-3	45/64x 13/16	3/8×7/16	7/16x1/2	10"	1.19
HW-4	59/64x1-1/16	½x9/16	9/16x11/16	12"	1.54
LINE E	1 2/20-1 12/64	5/00	11/16+3/4	14"	2.35

#### HANDY SHORTS

		STATE OF THE PARTY	MARKET THE RESERVE OF THE PARTY OF		
	Fractional	Bolt S	Sizes		
No.	Openings	Wht. Std.	B.S.F.	Length	List Price
HW-10	11/32x29/64	1/8x3/16	x1/4	47/8"	\$0.80
HW-20	17/32x19/32	1/4x5/16	5/16x3/8	55/8"	.85
HW-30	45/64x13/16	3/s <b>x</b> 7/16	7/16x½	63/8"	.90

[30]



#### Tappet Wrenches



Tenuity—Strength—Precision—Balance—Convenience all the vital characteristics of a super tappet wrench have been built into these tools.

6140 Chrome Vanadium Steel, drop forging, and special heat treatment give this necessarily thin wrench extreme strength. The 15° heads have narrow, pointed, accurately milled jaws to give immediate engagement and fast, certain results.

Triple Chromium plated with brightly polished heads.

Openings 7/16 x 17/32	No. <b>T14-17</b>	Length 7	List Price \$2.35 Pr.
1/2 x 9/16	T16-18	8	2.35 Pr.
$5/8 \times 11/16$	T20-22	-8	2.50 Pr.
$3/4 \times 7/8$	T24-28	9	3.00 Pr.



#### Connecting Rod Sockets

For Ford, Ford DeLuxe and Mercury

A specially designed  $\frac{9}{16}$ " single hexagon socket for connecting rod bearing work on the V-8 model. This socket is indispensable, for standard sockets will not handle this job.

Made of Chrome Vanadium Steel, with triple chrome plating and 1/2" square drive.

No. SR 18F

List Price \$0.85

#### Brake Adjusting Wrench



This special wrench is just the thing for speeding up brake adjusting jobs on Models A and V-8. Openings are 1/2" and  $\frac{7}{16}$ " square. The length of 11 inches provides ample leverage and accessibility to all brakes. Made of husky S.A.E. 6140 Chrome Vanadium Steel.

No. 1416F

List Price \$1.55

#### Starter and Manifold Wrenches

These special design box wrenches are ideal for getting at hidden or hard-to-reach nuts on starters, manifolds, exhaust flange unions and carburetor flanges, especially on Chevrolets and Pontiac, 1932-1936. The thin heads reach around corners



and into spots where ordinary wrenches will not fit. It prevents your getting painful burns or cuts from hot manifolds or sharp corners. S.A.E. 6140 Chrome Vanadium Steel. triple chrome plated.

No.	Openings	List Price
B1820C	9/16" and 5/8"	\$1.75
B2224C	11/16" and 3/4"	2.00

#### TOOL OF QUALITY

Hinsdale Tools are designed especially for use on all types of modern equipment where refinements in design make nuts, bolts and screws inaccessible to old style, crudely designed tools with thick clumsy jaws.

Thin walls on sockets and box wrenches, as well as narrow, thin jaws on end wrenches are accurately proportioned to combine effectiveness for use in close quarters, with strength to twist off the bolt each wrench is designed to fit.

To give the necessary strength with thin walls or jaws Hinsdale Tools are made of genuine S.A.E. 6140 Chrome

Vanadium Steel, recognized as the best steel that money can buy for wrench service.

Wherever possible this superior steel is hot forged for the dense, close grain and extra strength that forging gives. And finally, Hinsdale Tools are accurately heat treated to give uniform temper through and through that combines the utmost strength with the proper degree of toughness.

Of the millions of tools bearing the Hinsdale Trade-Mark, those shown in this catalog are by far the finest ever produced. 

#### Guarantee

All wrenches are guaranteed against defects both in workmanship and material. Free replacements or repairs will be made on all wrenches that do not stand up to

Replacements will NOT be made if inspection shows that:

Handles or Sockets have been hammered. Other handles or bars used for extra leverage. Handles or Sockets have been ground thinner or changed in design. Sockets have been used on over or undersized nuts.

Undue leverage has been exerted. Tools have been worn out from use, or Employed for purposes other than intended.

Charge will be made for replacement of Gears or Pawls in Ratchet Wrenches where breakage has been caused by abuses.



## HINSDALE WRENCH ADAPTATION CHART

			BOLT OF	R SCREW DL	AMETER			BOLT OR SCREW DIAMETER					
			Allen Mil	67 23	HE	KAGON HEA	DS	SQU	JARE	SQUARE HEADS			
Wrench		HEXAGO	ON NUTS		CAP SC	REWS	BOLTS		JTS	CAP S	CREWS	SET	
Opening	8.A.E.	U. S. S.	Amer. Std.	Machine	<b>U. S. S.</b>	Amer. Std.	Mirs. Std.	U.S.S.	Amer. Std.	U. S. S.	Amer. Std.		
13/64										" July 14			
7/32			· · · · · · · · · · · · · · · · · · ·				3.217 (25)						
15/64					THE PARTY OF						52 (12) 25	12.	
1/4	1		4	4					4	97 C 19 DO	90 P. N.	1/4	
9/32			100		4		M 1011 (1897)				424		
5/16		1/8	5&6	5 & 6	1/8		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		5&6	<b>3</b> 7 3 5 5 5	Sept 1	5/16	
11/32		3000	8	8	10.00		RESIDENCE TO ME		8				
• 3/8	100 H		10	10	3/16			2000	10	1/4		3/8	
7/16	1/4		12 & 1/4	12 & 1/4	1/4	1/4	1/4-		12 & 1/4	19 5	1/4	7/16	
1/2	5/16	1/4		of make on	5/16	5/16	4.5 Sept. 15	1/4			5/16	1/2	
9/16	3/8		5/16	5/16	3/8-	3/8			5/16		3/8	9/16	
19/32	Park of the	5/16	1991 · 文艺	2.17 (1.17)				5/16	100	5/16	443831		
5/8	7/16		3/8	3/8	7/16	7/16	3/8	Special Control	3/8		7/16	5/8	
21/32			programme and the										
11/16		3/8			1.		A. C	3/8	A Company of the Company	3/8			
3/4	1/2		7/16	1/2	1/2	1/2	5.50X	2 100000	7/16		1/2	3/4	
25/32		7/16			100			7/16	1710	7/16	28 12	0,1	
13/16			1/2		9/16	9/16	1/2	7,10		7/10			
7/8	9/16	1/2	9/16	9/16	5/8	5/8	1/2	1/2	9/16	1/2	5/8	7/8	
15/16	5/8	1/2	3/10	3/10	. 370	370		1/2	5/8	1/6	376	1/0	
31/32	-	9/16						9/16	3/6	9/16			
1	11/16	3710	5/8	3/4-	3/4	3/4	5/8	3/10		3/10	3/4	1	
1-1/16	3/4	5/8	- 378	- 3/4-	3/4	3/4	3/0	5/8		5/8	3/4	1, 1	
1-1/8	3/4	3/0	3/4	7/8	7/8	7/0		3/6	0/4	3/6	7/0	11/0	
1-3/16			0/4	770	//0	7/8	3/4		3/4		7/8	1-1/8	
1-1/4	7/8	3/4					3/4	2/4		0.14		22/4	
1-1/4	110	3/4					7/0	3/4		3/4		1-1/4	
1-3/6	1	7/8				2000	7/8	7/0		7.10			
		1/8	1000		1.10	11/0	2/25/25/2	7/8		7/8			
1-1/2	1-1/8	1	1		1-1/8	1-1/8			1		1-1/8		
1-3/4	1-1/0						1.7.00	1		1			
	11/4	1.1/6				0.11.50	1-1/8	11/0					
1-13/16	1-1/4	1-1/8		RAUCH	SNYDER	SALES	co.	1-1/8	31000	1-1/8			
	1-3/8	1-1/4		402	SWETLAN	D BLDG.	1010	1-1/4		1-1/4		1000	
2-1/8	11/0	7.0/0		CIT	VELAND :	5. OHIO	1-3/8	3 3 20	-	1-3/8			
2-3/16	1-1/2	1-3/8		ULI	PRospect	6100		1-3/8	- Care No.				
2-1/4	1 1 1		1-1/2		1 Nospect	0200	18 a to 18 4 10			100000000000000000000000000000000000000			
2-3/8		1-1/2	J. 20		12.033			1-1/2		1-1/2	•		
2-1/2					PART OF TAX	To the second	1-5/8		- 129		3 3 6 6		
2-9/16		1-5/8				of early and							
2-5/8		20.5	1-3/4				200					74 (18)	
2-3/4	1-1-	1-3/4						1-3/4		1	To have		
2-15/16	- ×	1-7/8		A 100 - 20 - 100 -	1	THE PERSON		Day 1 de 1 de 1					
3-1/8	1884 (S. E. S.	2						4 / 18					
3-1/2	BERT KINE	2-1/4			Harris			1			1		